Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

CLAIMS:

1-31. (Canceled)

32. (Currently Amended) An avionic instrument mounting system, comprising:

a first mounting frame adapted for mounting to an avionic mounting surface, the first mounting frame presenting a first mounting surface aligned in a first plane and a second mounting

surface aligned in a second plane substantially parallel to the first plane;

wherein the first mounting surface includes a first pair of substantially parallel flanges and the

second mounting surface includes a second pair of substantially parallel flanges aligned

at approximately ninety degrees to the first pair of flanges; and

a second mounting frame operable to be at least partially inserted within the first mounting frame

to secure coupled to the first mounting surface for securing an electronic module at least

partially within to the first mounting frame.

33. (Previously Presented) The avionic instrument mounting system of claim 32, wherein a

cross-section of the second mounting frame includes a long axis and a short axis, and wherein the second

mounting frame is coupled to the first mounting frame with the long axis oriented vertically.

34. (Previously Presented) The avionic instrument mounting system of claim 32, wherein the

flanges of the first mounting surface are substantially vertically aligned and the flanges of the second

mounting surface are substantially horizontally aligned.

2

Application No. 10/086,483 Amendment dated April 3, 2008 Reply to Office Action of February 25, 2008

35. (Previously Presented) The avionic instrument mounting system of claim 32, further

including a display unit located directly in front of the second mounting frame, the display unit having a

vertical range of mounting locations along the first mounting frame.

36. (Previously Presented) The avionic instrument mounting system of claim 32, wherein the

first mounting frame provides a horizontal range of mounting locations along which the second

mounting frame may be coupled thereto.

37. (Currently Amended) An avionic instrument mounting system, comprising:

a first mounting frame adapted for mounting to an avionic mounting surface, the first mounting

frame presenting a first mounting surface aligned in a first plane and a second mounting

surface aligned in a second plane substantially parallel to the first plane;

wherein the first mounting surface includes a first pair of substantially parallel flanges and the

second mounting surface includes a second pair of substantially parallel flanges aligned

at approximately ninety degrees to the first pair of flanges;

a display unit located directly in front of the first mounting frame, the display unit having a

vertical range of mounting locations with along the first mounting frame;

a second mounting frame operable to be at least partially inserted within coupled to the first

mounting surface frame to secure for securing an electronic module at least partially

within to the first mounting frame such that the secured electronic module is at least

partially covered by the display unit; and

wherein a cross-section of the second mounting frame includes a long axis and a short axis, and

wherein the second mounting frame is coupled to the first mounting frame with the long

axis oriented vertically along one of a plurality of horizontally mounting locations.

3

Application No. 10/086,483 Amendment dated April 3, 2008

Reply to Office Action of February 25, 2008

38. (New) An avionic instrument mounting system, comprising:

a first mounting frame adapted for mounting to an avionic mounting surface, the first mounting

frame presenting a first mounting surface aligned in a first plane and a second mounting

surface aligned in a second plane substantially parallel to the first plane;

wherein the first mounting surface includes a first pair of substantially parallel flanges and the

second mounting surface includes a second pair of substantially parallel flanges aligned

at approximately ninety degrees to the first pair of flanges;

a display unit located directly in front of the first mounting frame, the display unit having a

vertical range of mounting locations with along the first mounting frame; and

a second mounting frame operable to be at least partially inserted within the first mounting frame

to secure an electronic module at least partially within the first mounting frame such that

the secured electronic module is at least partially covered by the display unit.

39. (New) The avionic instrument mounting system of claim 38, wherein the first mounting

frame provides a horizontal range of mounting locations along which the second mounting frame may be

coupled thereto.

40. (New) The avionic instrument mounting system of claim 38, further including a third

mounting frame operable to be at least partially inserted within the first mounting frame to secure a

second electronic module at least partially within the first mounting frame such that the secured second

electronic module is at least partially covered by the display unit.

41. (New) The avionic instrument mounting system of claim 40, wherein the second mounting

frame and third mounting frame includes a connector operable to be electrically connected with the

display unit to enable communication between the display unit and each of the secured electronic

modules.

4

Application No. 10/086,483 Amendment dated April 3, 2008 Reply to Office Action of February 25, 2008

- 42. (New) The avionic instrument mounting system of claim 38, wherein the second mounting frame is operable to be removably coupled with the electronic module.
- 43. (New) The avionic instrument mounting system of claim 38, wherein the second mounting frame is operable to secure the electronic module such that it is fully covered by the display unit.